

Norfrig OTU 42 Cooling Container Plug and Play

Specifications

Marca	Norfrig
Tipo	OTU 42 Cooling Container Plug and Play
Refrigerante	Freon
Refrigerant type	R404A
kW at 0°C/+40°C	15,9
kW at -5°C/+40°C	13,5
kW at -10°C/+40°C	11,3
kW at -20°C/+40°C	7,8
kW at -30°C/+40°C	5,2
kW at -40°C/+40°C	3,3
Piston Descargador	✓
Panel de control	✓
Comentarios	Y.o.b. 2003
Condensing Unit	✓
Tamaños	Outside dimension: 8710x2600x2700 mm (LxWxH) Inside dimension: 7000x2480x2270 mm (LxWxH)
Stock	1



Description

Used Norfrig OTU 42 Cooling Container Plug and Play

Norfrig OTU 42 Cooling Container Plug and Play with a capacity of 47kw on R404A. Inner dimensions: 7000x2480x2270 mm (LxWxH). Total container dimension: 8710x2600x2700 mm (LxWxH). Max operating pressure: 35 bar Unit weight: 450 KG Please feel free to contact us for more information!

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also arrange the logistics.







