

# Kelvion LLK.p 12x6-2406-50x50

## Specifications

Marca	Kelvion
Tipo	LLK.p 12x6-2406-50x50
Capacidad kW	25,1
Refrigerante	CO2
Número de aficionados	3
Fan del Espacio in mm	7
Descongelación	Hot Gas
m <sup>3</sup> /h	16.100
Tamaños	2800x1050x670 mm (LxWxH)
Comentarios	Y.o.b. 2022
Remarks	Surface area: 110,5 m <sup>2</sup>
Volume	29 dm <sup>3</sup>
Peso	300 kg
Stock	4



## Description

### Used Kelvion LLK.p 12x6-2406-50x50

Used Kelvion LLK.p 12x6-2406-50x50 CO2 evaporator built in 2022. Complete with 3 Ziehl-Abegg FN050-SDD.4I.A7P1 fans - 50 Hz - 0,26/0,18 kW - 910/740 RPM - diameter 500 mm and a total airflow of 16.100 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



		<b>Kelvion s.r.o.</b> Kostomlátecká 180, Nymburk 288 02, The Czech Republic Tel. +420 325 519 951 www.kelvion.com	
Name Plate		Article No. / Císlo výrobku: <b>100792979</b>	
Manufacturing - Serial No. / Date		200492141/20/1/2022	
Vyrobní číslo / rok:		200492141/20/1/2022	
Client Ref:		200491332-020, 21N132/2102644	
Model:		Kelvion LLK.p 12x6-2406-50x50	
Fan(s) 400 V -3-	50	P - Fan(s) Total	780.0 W
		I - Fan(s) Total	1.6 A
Heat Exchanger		Made in the EC	
Net weight	300 KG	Design pres. PS	60 bar/870 psi
Volume	29.0 dm <sup>3</sup>	Design temp. TS	-40/100
		Test pres. PT	86 bar/1247 psi
		Min /Max all temp.	-40 °C/65 °C
Safety device settings		 	
Fluid group	2	PED cat.	S.E.P.
Number		1 of 4	



