

Bock HGX4/555-4 S (x3)

Specifications

| | |
|------------------------------------|------------------------------|
| Marca | Bock |
| Tipo | HGX4/555-4 S (x3) |
| Refrigerante | Freon |
| kW at 0°C/+40°C | 115,8 |
| kW at -5°C/+40°C | 96,3 |
| kW at -10°C/+40°C | 78,8 |
| kW at -20°C/+40°C | 50,6 |
| kW at -30°C/+40°C | 30,2 |
| kW at -40°C/+40°C | 16,2 |
| kW at -45°C/+40°C | 11,2 |
| Sober Bancada | ✓ |
| Presostatos | ✓ |
| Manómetros de Presion | ✓ |
| Recipiente de líquido | ✓ |
| Recipiente de líquido ltr. | 250 |
| Acumulador de succión | ✓ |
| Separador de aceite | ✓ |
| Sistema de nivel de aceite | ✓ |
| La línea de líquido filtro secador | ✓ |
| m3 / h | 144,6 |
| Comentarios | Y.o.b. 2009 |
| Package / Rack | ✓ |
| Tamaños | 2700x1200x1720 mm (LxWxH) |
| Stock | 1 |



Description

Used Bock HGX4/555-4 S (x3)

Used Bock HGX4/555-4 S (x3) semi-hermetic reciprocating compressor on Freon. Complete with a suction accumulator, Tecnac RH-250E liquid receiver with a volume of 250 liter, 3 oil separators, Henry S-9109-CE oil reservoir, oil level regulators and pressure and safety switches/gauges. The compressor has a displacement of 144,6 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







