

# Bock HGX12P/60-4 S Water-cooled condensing unit

## Specifications

Marca	Bock
Tipo	HGX12P/60-4 S Water-cooled condensing unit
Refrigerante	Freon
Refrigerant type	R410A
kW at +10°C/+40°C	8,8*
kW at 0°C/+40°C	6,0*
kW at -5°C/+40°C	4,9*
kW at -10°C/+40°C	4,0*
kW at -20°C/+40°C	2,4*
kW at -30°C/+40°C	1,8* (-25°C/+40°C)
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
m <sup>3</sup> / h	5,4 at 50 Hz
Comentarios	*Capacity based on Freon type: R410a
Condensing Unit	✓
Tamaños	610x930x1550 mm (LxWxH)
Stock	1



## Description

### Used Bock HGX12P/60-4 S Water-cooled condensing unit

Used Bock water-cooled condensing unit on Freon. Complete with a Bock HGX12P/60-4 S semi-hermetic compressor, Bitzer K073H shell and tube condenser, liquid line filter drier, pressure and safety switches/gauges, sight glass and a control cabinet with a Mercury Mk3 8-2/5M display. The compressor has a displacement of 5,4 m<sup>3</sup>/h at 50 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. \*If requested we are happy to arrange your logistics.





