

# Danfoss OP-MSXM057MLW05E New condensing unit

## Specifications

Marca	Danfoss
Tipo	OP-MSXM057MLW05E New condensing unit
Refrigerante	Freon
kW at +10°C/+40°C	12,8
kW at 0°C/+40°C	8,9
kW at -5°C/+40°C	7,3
kW at -10°C/+40°C	5,9
kW at -20°C/+40°C	3,9
kW at -30°C/+40°C	2,4
Presostatos	✓
Recipiente de líquido	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
m <sup>3</sup> / h	9,9
Comentarios	Y.o.b. 2020
Condensing Unit	✓
Tamaños	1100x500x700 mm (LxWxH)
Stock	1









## Description

### Used Danfoss OP-MSXM057MLW05E New condensing unit

New Danfoss OP-MSXM057MLW05E condensing unit on Freon. Complete with a Danfoss MLZ026T4LP9A scroll compressor, condenser with 1 Broad-ocean Y7S623B563 fan - 50 Hz - 0,07 kW, liquid receiver, liquid line filter drier and a control panel. The compressor has a displacement of 9,9 m<sup>3</sup>/h at 2900 RPM.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



<b>OP-MSXM057MLW05E</b>			
<b>114X7066</b>		<b>MADE IN INDIA</b>	
Application	MBP	IP54	
Refrigerant	(1) R404A/R507/ R407F/A/R448A/ R449A/R452A	(2) R134a/R513A	
M.W.P HP	(1) 28 bar	(2) 23 bar	
M.W.P LP	(1) 7 bar	(2) 5 bar	
Voltage	400V 3N ~ 50 Hz		
LRA	45.5 A	MCC	10.5 A
OIL INSIDE	POE 46		
Serial No.	127176CG4520		
			
EAN No.	5702428562317		
			
			
 11803415 Danfoss A/S, 6430 Nordborg, Denmark			





