


## Bitzer 66H-50.2 Y / 6H-25.2 Y (x2)

### Specifications

Marca	Bitzer
Tipo	66H-50.2 Y / 6H-25.2 Y (x2)
Refrigerante	Freon
kW at -5°C/+40°C	149,3
kW at -10°C/+40°C	123,1
kW at -20°C/+40°C	80,7
kW at -30°C/+40°C	49,4
kW at -40°C/+40°C	26,9
kW at -45°C/+40°C	18,3
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Mirilla	✓
m3 / h	221
Peso kg.	483
Tamaños	1600x550x850 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer 66H-50.2 Y / 6H-25.2 Y (x2)

Used Bitzer 66H-50.2 Y semi-hermetic reciprocating tandem compressor on Freon. Complete with a Bitzer 6H-25.2 Y (x2) semi-hermetic reciprocating compressors, 2 Ziehl-Abegg FE031-4DZ.0C.3 fans - 0,12/0,19 kW - 1410/1670 RPM - 50/60 Hz, pressure safety switches and sight glasses. The compressor has a displacement of 221,0 m<sup>3</sup>/h at 50 Hz and 266,6 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.

