


Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Specifications

Marca	Bitzer
Tipo	4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P
Refrigerante	Freon
kW at 0°C/+40°C	80,0
kW at -5°C/+40°C	66,2
kW at -10°C/+40°C	54,2
kW at -20°C/+40°C	34,7
kW at -30°C/+40°C	20,4
kW at -40°C/+40°C	10,0
kW at -45°C/+40°C	6,1
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	56
Acumulador de succión	✓
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
m3 / h	97 m ³ /h at 50 Hz & 117 m ³ /h at 60 Hz
Comentarios	Y.o.b. 2008



Package / Rack	✓
Tamaños	1500x900x1800 mm (LxWxH)
Stock	1

Description

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P

Used Bitzer 4PCS-15.2Y-40P (x2) / 44PCS-30.2Y-40P semi-hermetic reciprocating tandem compressor on Freon. Complete with a suction accumulator, oil separator, Bitzer F562N liquid receiver with a volume of 56 liter, liquid line filter drier, pressure and safety switches and a control cabinet.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.

