

# Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit

## Specifications

Marca	Bitzer
Tipo	4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit
Refrigerante	Freon
kW at 0°C/+40°C	82,3
kW at -5°C/+40°C	65,5
kW at -10°C/+40°C	51,4
kW at -20°C/+40°C	29,4
Presostatos	✓
Manómetros de Presion	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
m3 / h	161,1
Comentarios	Y.o.b. 2014
Package / Rack	✓
Tamaños	2300x1400x1400 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) Compressor unit

Used Rivacold RV4C1103-1 compressor unit on Freon. Complete with a Bitzer 4PES-10Y-40P (x1) & 4NES-14Y-40P (x2) semi-hermetic reciprocating compressors, Ocs cold OCS-08 oil reservoir, Henry Technologies S-1901-CE oil separator, pressure and safety switches/gauges and a control cabinet with a Carel pR100 controller and Carel display. The compressors have a total displacement of 161,1 m<sup>3</sup>/h. The capacity is based on the use of Freon type: R134A.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all



equipment including an extensive test, warranty and industrial cleaning.  
\*Optional we can also perform a new paint job and arrange the logistics.









