


# Grasso V 700T

## Specifications

|                       |                                    |
|-----------------------|------------------------------------|
| Marca                 | Grasso                             |
| Tipo                  | V 700T                             |
| Refrigerante          | NH 3 (ammonia)                     |
| kW at -30°C/+40°C     | 108,0*                             |
| kW at -40°C/+40°C     | 85,0**                             |
| Piston Descargador    | ✓                                  |
| Control de capacidad  | ✓                                  |
| Sober Bancada         | ✓                                  |
| Presostatos           | ✓                                  |
| Manómetros de Presion | ✓                                  |
| Separador de aceite   | ✓                                  |
| Mirilla               | ✓                                  |
| Valvula Solenoide     | ✓                                  |
| m3 / h                | 477                                |
| Comentarios           | Y.o.b. 2018                        |
| Comentarios           | *Capacity based on<br>-35°C/+35°C  |
| Comentarios           | **Capacity based on<br>-40°C/+35°C |
| Stock                 | 1                                  |



## Description

### Used Grasso V 700T

Used Grasso V 700T two-stage reciprocating compressor on NH<sub>3</sub> (Ammonia). Complete with a electric motor, oil separator and pressure and safety switches/gauges. The compressor has a displacement of 477 m<sup>3</sup>/h. \*Capacity based on -35°C/+35°C & \*\*Capacity based on -40°C/+35°C. \*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.

