

Bitzer HSK5363-40-40P

Specifications

Marca	Bitzer
Tipo	HSK5363-40-40P
Refrigerante	Freon
kW at 0°C/+40°C	113,7
kW at -5°C/+40°C	98,3
kW at -10°C/+40°C	84,4
kW at -20°C/+40°C	60,3
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	125
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
m3 / h	118
Comentarios	Y.o.b. 2012
Tamaños	1800x1150x2000 mm (LxWxH)
Stock	1



Description

Used Bitzer HSK5363-40-40P

Used Bitzer HSK5363-40-40P semi-hermetic screw compressor unit. Complete with a Frigomec FSR 125+2SGR9+SV+R7 liquid receiver with volume of 125 liters, Bitzer OA1954 oil separator, Alfa Laval CB76-30H brazed heat exchanger, pressure and safety switches/gauges, liquid line filter drier and a sight glass. The displacement of the compressor is 118 m³/h at 50 Hz and 142 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.





