

# Bitzer HSK7451-70-40P

## Specifications

Marca	Bitzer
Tipo	HSK7451-70-40P
Refrigerante	Freon
kW at 0°C/+40°C	198,2
kW at -5°C/+40°C	169,1
kW at -10°C/+40°C	143,4
kW at -20°C/+40°C	100,5
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	228
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Panel de control	✓
m3 / h	192
Comentarios	Y.o.b. 2006
Peso kg.	1230
Tamaños	2200x1130x2150 mm (LxWxH)
Stock	1



## Description

### Used Bitzer HSK7451-70-40P

Used Bitzer HSK7451-70-40P semi-hermetic screw compressor unit on Freon. Complete with a Bitzer FS 2202 liquid receiver with a volume of 228 liters, Bitzer OA1854 oil separator with a volume of 40 liters, Gea WP 7L-50 brazed heat exchanger for heat recovery, brazed heat exchanger as economizer, liquid line filter drier, pressure and safety switches/gauges and a control cabinet with a Siemens Touch display. The compressor has a displacement of 192 m<sup>3</sup>/h at 50 Hz & 232 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can



also perform a new paint job and arrange the logistics.









