

# Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

## Specifications

Marca	Jaeggi
Tipo	HTK 2.4/6.6-2S-P2-CU-SLNF
Tipo de producto	Drycooler
Capacidad kW	1256,0
Número de aficionados	2
RPM de los ventiladores	470
Refrigerante	Glycol
Flujo de aire in m <sup>3</sup> /h	185.033
ventiladores de diámetro	1856 mm
∅	
Volumen del tubo	1120 dm <sup>3</sup>
Tamaños	8300x2500x4000 mm (LxWxH)
Peso	6716 kg
Comentarios	Y.o.b. 2014
Remarks	*Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C
Stock	2



## Description

### Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF

Used Jaeggi HTK 2.4/6.6-2S-P2-CU-SLNF drycooler. Complete with 2 fans that are belt driven by a WEG 3132S-04 electric motor - 50 Hz - 5,5 kW - 1455 RPM. Further the drycooler comes with a control cabinet with 2 Allen-Bradley 22B-D017N104 frequency drives, 2 Allen-Bradley 22A-D2P3N104 frequency drives and a Allen-Bradley controller. \*Capacity based on inlet/outlet temperature: +34°C/+29°C & air inlet: 32°C

\*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can



arrange your shipment.









