

Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2)

Specifications

Marca	Bitzer
Tipo	HSK 5363-40 (x1) & HSK 6451-50 (x2)
Refrigerante	Freon
kW at 0°C/+40°C	383,9
kW at -5°C/+40°C	330,7
kW at -10°C/+40°C	283,0
kW at -20°C/+40°C	201,5
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	120
Separador de aceite	✓
La línea de líquido filtro secador	✓
Mirilla	✓
Valvula Solenoide	✓
Panel de control	✓
m ³ / h	398,0



	16060601)
Πακέτο/ισάκι	Υ.ο.β. 2002 (s. nr:
Tamaños	3600x2150 mm (yxdWxH)001 (s.nr:
Stock	1

Description

Used Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2)

Used Bitzer HSK 5363-40 (x1) & HSK 6451-50 (x2) semi-hermetic screw compressor rack on Freon with a economizer. Complete with C+F RLV.120 liquid receiver with a volume of 120 liters, Bitzer OA4088 oil separator with a volume of 88 liters, Alfa Laval AC-50X-30H brazed heat exchanger for heat recovery, pressure and safety switches/gauges and a control cabinet with a Yokogawa UM330 indicator. The compressors have a total displacement of 398,0 m³/h at 50 Hz & 478,0 m³/h at 60 Hz. The capacities are with a economizer. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics







