

Güntner GCHC RD 050.2/24-49-4235858M New

Specifications

Marca	Güntner
Tipo	GCHC RD 050.2/24-49-4235858M New
Tipo de producto	Air Cooled Condenser
Capacidad kW	225,8*
Número de aficionados	8
RPM de los ventiladores	1390/1180
Refrigerante	Freon
Flujo de aire in m ³ /h	47.465
ventiladores de diámetro	500 mm
Ø	
Superficie (m ²)	722,6
Volumen del tubo	62,7
Tamaños	3950x1720x1300 mm (LxWxH)
Peso	554
Comentarios	Y.o.b. 2024
Remarks	*Capacity based on R507A.
Stock	1





Description

Used Güntner GCHC RD 050.2/24-49-4235858M New

New Güntner GCHC RD 050.2/24-49-4235858M air-cooled condenser on Freon. Complete with 8 EBM-Papst S4D500-CM03-09 fans - 50 Hz - 0,72/0,55 kW - 1390/1180 RPM & 60 Hz - 1,06 kW - 1640 RPM - diameter 500 mm and a total airflow of 47.465 m³/h.

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines, condensing block, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Güntner GmbH & Co. KG Hans-Coblenz-Strasse 2 - 6 82256 Fürstenfeldbruck www.guentner.de		 	
Projektnummer - Project number	101219237		
Druckgerätebezeichnung - Pressure equipment type	GCHC RD 050 2/24-49-4235858M		
UI Nummer - UI number	4235858		
Seriennummer - Serial number	504317184/06.00439		
Herstellungsjahr - Year of manufacture	2024		
Ventilator/D/Drehzahl/Stromaufn. - Fan/D/Speed/Current	VT03150J / 2348 / 1180 min ⁻¹ / 0.9 A		
Umgebungstemperatur - Ambient air temperature	-30 °C / +60 °C		
Volumen - Volume (V)	62.7 l		
Max. zulässiger Druck (PS) Max. permissible pressure (PS)	32 / 0 bar	0 / -1 bar	
Zulässige min./max. Temperatur (TS) Permissible min./max. temperature (TS)	-50 °C / +100 °C		-50 °C / +40 °C
Prüfdruck (PT) / Prüfmedium Test pressure (PT) / Test medium	35.2 bar / Druckluft - Compressed air		
Prüfdatum - Test date	2024-02-09		
Fluidgruppe / Zustand - Group of fluid / State	2 / gasförmig - gaseous		





