

Bitzer HSN 7471-75 (x4)

Specifications

| | |
|------------------------------------|---|
| Marca | Bitzer |
| Tipo | HSN 7471-75 (x4) |
| Refrigerante | Freon |
| kW at -20°C/+40°C | 481,2 |
| kW at -30°C/+40°C | 331,6 |
| kW at -40°C/+40°C | 218,0 |
| kW at -45°C/+40°C | 172,0 |
| Piston Descargador | ✓ |
| Control de capacidad | ✓ |
| Sober Bancada | ✓ |
| Separador de aceite | ✓ |
| La línea de líquido filtro secador | ✓ |
| Mirilla | ✓ |
| Valvula Solenoide | ✓ |
| Panel de control | ✓ |
| m3 / h | 50 Hz - 1000 m ³ /h & 60 Hz - 1200 m ³ /h |
| Comentarios | Please notice that we can install compressor number 4 |
| Package / Rack | ✓ |
| Tamaños | 3750x1250x1800 mm (LxWxH) |
| Stock | 1 |



Description

Used Bitzer HSN 7471-75 (x4)

Used Bitzer HSN 7471-75 (x4) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer OA 9011 oil separator with a volume of 228 liter, Vahterus 3HH-100/2/2 as economizer, liquid line filter drier and a control cabinet. The compressors have a total displacement of 1000 m³/h at 50 Hz & 1200 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





