

Bitzer 6H.2 (x3)

Specifications

Marca	Bitzer
Tipo	6H.2 (x3)
Refrigerante	Freon
kW at +10°C/+40°C	407,8
kW at 0°C/+40°C	288,9
kW at -5°C/+40°C	240,5
kW at -10°C/+40°C	198,4
kW at -20°C/+40°C	130,6
kW at -30°C/+40°C	80,6
kW at -40°C/+40°C	44,4
Electromotor Specs	30
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Separador de aceite	✓
Comentarios	Electromotor: 30 kW at 1485 RPM // Pulley EM: 230 / Comp: 220
Comentarios	R404a - R22 or other freon types
Package / Rack	✓
Tamaños	3300x1500x1050 mm (LxWxH)
Stock	1



Description

Used Bitzer 6H.2 (x3)

Used Bitzer 6H.2 (x3) freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges and oil separator. This unit has a cooling capacity of 407,8 kW at +10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



