


Bitzer 6G.2

Specifications

Marca	Bitzer
Tipo	6G.2
Refrigerante	Freon
Refrigerant type	R 404 A or other types
kW at +10°C/+40°C	138,9*
kW at 0°C/+40°C	106,3
kW at -5°C/+40°C	88
kW at -10°C/+40°C	72,2
kW at -20°C/+40°C	46,8
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,1
Electromotor Specs	18,5
Piston Descargador	✓
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	75
La línea de líquido filtro	✓
secador	
Mirilla	✓
Panel de control	✓
Comentarios	y.o.b. 2011 // *Capacity based on +7.5°C/+40°C // Electromotor: 18,5 kW at 1470 RPM // Pulley EM: 220 / Comp: 220



Package / Rack	✓
Tamaños	1000x1400x900 mm (LxWxH)
Proyecto	Note: Bitzer 6G.2 has been removed
Stock	1

Description

Used Bitzer 6G.2

Used Bitzer 6G.2 freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges, liquid line filter drier, sight glass, control panel and liquid receiver with a volume of 75 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.

