

Bitzer 4G.2

Specifications

Marca	Bitzer
Tipo	4G.2
Refrigerante	Freon
Refrigerant type	R 404 A or other types
kW at +10°C/+40°C	114*
kW at 0°C/+40°C	87,2
kW at -5°C/+40°C	72,2
kW at -10°C/+40°C	59,2
kW at -20°C/+40°C	38,4
kW at -30°C/+40°C	23,1
kW at -40°C/+40°C	12,5
Electromotor Specs	15
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	39
La línea de líquido filtro secador	✓
Mirilla	✓
Comentarios	y.o.b. 2004 // *Capacity based on +7.5°C/+40°C // Electromotor: 15 kW at 1455 RPM // Pulley EM: 180 Comp: 220
Package / Rack	✓



	(LxWxH)
Stookkasten	1400x1050x1400 mm

Description

Used Bitzer 4G.2

Used Bitzer 4G.2 freon compressor rack, complete with pressure safety switches, pressure gauges, liquid line filter drier, sight glass and liquid receiver with a volume of 39 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



