

Carrier 30 HXC 090

Specifications

Brand	Carrier
Tipo	30 HXC 090
Product type	Water Cooled Chiller
Capacidad kW	312
Capacity Tons	88,7
Refrigerante	Freon
Tipo de Refrigerante	R134A
Peso kg.	2279
Sizes	2600x1000x1800 mm (LxWxH)
Remarks	y.o.b. 1999 // 2x Compressor Carrier 06NA2146S7NA-A00
Stock	1








Description

Used Carrier 30 HXC 090

Used Water Cooled Waterchiller Carrier 30 HXC 090. This R134A Waterchiller is build in 1999 and has 2 compressor Carrier 06NA2146S7NA-A00. Including Pro Dialog Plus control







2002	WASSINK INSTALLATIE BEL BIJ STORINGEN 0543 517925 24 UUR BEREIKBAAR OOK IN HET WEEKEND	JUN
2003		JUL
2004		AUG
2005		SEP
2006		OKT
2007		NOV
2008		DEC

803387.

N° DE MODELE-MODEL N -TYP- 30HXC090--0007-AEE--

N° DE SERIE-SERIAL N -FABR N°- 12C903587 / 803387

ANNEE-YEAR-BAUJAHR- 1999

PRESSION MAX. FONCTION- COTE H.P-MAX. OPERATING PRESS- HIGH SIDE 28,00 bar

ZULÄSSIGER BETRIEBSÜBERDRUCK - HOCHDRUCKSEITE

PRESSION MAX. FONCTION- COTE B.P-MAX. OPERATING PRESS- LOW SIDE 28,00 bar

ZULÄSSIGER BETRIEBSÜBERDRUCK - NIEDRDRUCKSEITE

FLUIDE - REFRIGERANT - KÄITEMITTEL R 134A

CHARGE CIRCUIT 1 FÜLLMENGE KREISLAUF 1 35,00 kg

CHARGE CIRCUIT 2 FÜLLMENGE KREISLAUF 2 35,00 kg

TENSION VOLTAGE 400 V

SPANNUNG 10 10 % PHASES 3

FREQUENCE CYCLES FREQUENZ ~ 50 Hz

I. NOMINALE NOM. AMPS 138,0 A

PUISSANCE ABSORBÉE POWER INPUT 83,0 kW

LEISTUNGSAUFNAHME

POIDS NET NET WEIGHT 2339 kg

DRUCKBEH. GRUPPE S.V

MANUFACTURED IN FRANCE BY CARRIER s.a. 01120-MONTLUEL-FRANCE

A SUBSIDIARY OF CARRIER CORPORATION SYRACUSE NEW YORK UNITED STATES OF AMERICA

THE QUALITY AND ENVIRONMENTAL MANAGEMENT SYSTEMS OF CARRIER s.a. - F 01120 MONTLUEL ARE CERTIFIED BY LRQA IN CONFORMITY TO ISO 9001 AND ISO 14001