

# DWM RSK-EINHEIT R7 Condensing unit + D3DC4-75X-AWM/D

## Specifications

Marca	DWM
Tipo	RSK-EINHEIT R7 Condensing unit + D3DC4-75X-AWM/D
Refrigerante	Freon
Refrigerant type	R 404 A or other types
kW at -20°C/+40°C	13.63
kW at -30°C/+40°C	8.44
kW at -40°C/+40°C	4.70
kW at -45°C/+40°C	3.27
Comentarios	capacity based on R404A
Peso kg.	163
Stock	1



## Description

### Used DWM RSK-EINHEIT R7 Condensing unit + D3DC4-75X-AWM/D

Used, well maintained condensing unit. Build by Copeland ( Model:RSK-EINHEIT R7 ) Including Copeland D3DC4-75X-AWM/D Refrigeration piston compressor. Our capacity table is based on the used type of Freon. You can also use this compressor on alternative types of Freon. For all the other specs, see the picture of the manufacturer model plate or the attached pdf file (if available) \*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.




**Your partner for used commercial and  
industrial refrigeration equipment**



---

\*Optional we can also arrange the  
logistics.









**Model: D3DC-75 X**  
Capacity

R404A/R507

### Cooling capacity [kW]

t <sub>c</sub> \ t <sub>e</sub>	-50	-45	-40	-35	-30	-25	-20
20	3.86	5.35	7.19	9.41	12.06	15.17	18.79
25	3.41	4.83	6.57	8.67	11.16	14.09	17.51
30	2.96	4.31	5.95	7.92	10.26	13.01	16.22
35	2.52	3.79	5.32	7.16	9.35	11.92	14.92
40	-	3.27	4.70	6.41	8.44	10.83	13.63
45	-	2.76	4.08	5.66	7.54	9.75	12.33
50	-	-	3.47	4.92	6.64	8.67	11.04
55	-	-	2.87	4.19	5.75	7.59	9.76

### Power input [kW]

t <sub>c</sub> \ t <sub>e</sub>	-50	-45	-40	-35	-30	-25	-20
20	2.59	3.10	3.60	4.08	4.54	4.96	5.33
25	2.58	3.14	3.70	4.24	4.76	5.24	5.69
30	2.55	3.16	3.77	4.37	4.95	5.51	6.03
35	2.49	3.15	3.81	4.47	5.12	5.74	6.34
40	-	3.11	3.83	4.54	5.25	5.95	6.62
45	-	3.05	3.81	4.59	5.36	6.13	6.87
50	-	-	3.77	4.61	5.44	6.28	7.10
55	-	-	3.70	4.59	5.49	6.40	7.29