

## Bock F4 (x2) Cool/freeze installation

### Specifications


Marca	Bock
Tipo	F4 (x2) Cool/freeze installation
Refrigerante	Freon
kW at +10°C/+40°C	46.77
kW at 0°C/+40°C	33.06
kW at -5°C/+40°C	27.32
kW at -10°C/+40°C	22.27
kW at -20°C/+40°C	14.06
kW at -30°C/+40°C	8.13
kW at -40°C/+40°C	4.17
kW at -45°C/+40°C	2.83
Electromotor Specs	7.5kW at 1440 RPM (x2)
Sober Bancada	✓
Presostatos	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
Comentarios	Our capacity table is based on Manufacturer spec. We would like to know which refrigerant is in your system
Package / Rack	✓
Stock	1



### Description

#### Used Bock F4 (x2) Cool/freeze installation

Used cool/freeze package, with two Bock open-type compressors, model F4, connected to a 7,5kw E-motor. Including all necessary components, ready to install. \*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. Optional we can arrange shipment and export documents.



R404A/R507		Performance data										1.450 rpm	
Type	Cond. temp. °C	Cooling capacity $\dot{Q}_0$ [W]					Power P [kW]						
		Evaporating temperature °C											
		10	0	-5	-10	-15	-20	-25	-30	-35	-40	-45	
FX2	Q	13423	11418	9621	8020	6606	5366	4290	3366	2584	1933	1402	
	P	2,21	2,19	2,13	2,05	1,94	1,80	1,65	1,48	1,31	1,12	0,94	
	Q	11561	9785	8201	6797	5562	4445	3455	2761	2092	1537	1085	
	P	2,65	2,56	2,44	2,30	2,13	1,95	1,76	1,55	1,34	1,12	0,91	
	Q	9652	8113	6749	5548	4500	3593	2816	2159	1609	1150	791	
	P	3,02	2,97	2,81	2,61	2,40	2,20	2,02	1,85	1,69	1,50	1,30	
	Q	24022	24105	20377	17011	14041	11442	9187	7251	5608	4231	3096	
	P	3,32	3,37	3,34	3,30	3,24	3,16	3,07	2,96	2,82	2,68	2,50	
	Q	24498	20763	17437	14495	11911	9657	7710	6042	4628	3442	2458	
	P	4,97	4,85	4,66	4,41	4,11	3,77	3,40	3,01	2,61	2,21	1,81	
FX3	Q	20584	17356	14498	11985	9791	7889	6254	4860	3680	2690	1862	
	P	5,90	5,62	5,28	4,89	4,45	4,00	3,54	3,07	2,61	2,17	1,74	
	Q	33909	43858	38685	32117	26393	21373	17019	13292	10151	7659	5476	
	P	8,34	8,08	7,59	6,96	6,25	5,54	4,78	4,00	3,25	2,54	1,86	
	Q	44672	39538	33669	27326	22270	17862	14063	10834	8135	5928	4179	
	P	10,09	9,75	9,27	8,67	7,98	7,21	6,41	5,59	4,78	4,00	3,27	
	Q	39157	33814	27179	22214	17680	14137	10946	8068	6064	4295	2922	
	P	11,44	10,83	10,10	9,28	8,40	7,47	6,53	5,59	4,69	3,85	3,09	
	Q	99654	81844	62933	51854	42620	35322	30533	23624	17768	12938	9105	
	P	12,98	13,48	13,55	13,24	12,62	11,75	10,69	9,49	8,22	6,94	5,73	
FX4	Q	70427	90251	49163	40104	32258	25345	19428	14480	10472	7397	5168	
	P	16,87	16,64	16,05	15,16	14,03	12,72	11,28	9,79	8,29	6,85	5,53	
	Q	133170	109243	88483	71255	57429	45923	36045	27524	20247	14547	10347	
	P	20,21	19,31	18,12	16,70	15,11	13,41	11,67	9,93	8,26	6,73	5,38	
	Q	131005	112604	95281	79598	65516	53000	42008	32503	24447	17801	12527	
	P	27,80	26,55	24,82	22,37	20,17	17,67	15,41	13,36	11,32	9,55	7,85	
	Q	116502	97388	81727	67628	55054	43966	34326	26096	19237	13711	9480	
	P	32,31	31,89	30,68	28,86	26,54	23,97	21,52	19,17	16,81	14,45	12,09	
	Q	96996	81521	67668	53301	44382	34871	26730	19922	14408	10150	7110	
	P	37,80	36,56	34,52	32,57	30,79	28,45	26,05	23,66	21,27	18,88	16,49	
FX14/1166	Q	154448	132149	111819	93414	76889	62199	49299	38144	28690	20890	14701	
	P	27,24	26,87	25,91	24,48	22,65	20,51	18,22	15,80	13,39	11,06	8,91	
	Q	119719	96470	79413	64900	52085	40923	31970	23880	16909	11912	8344	
	P	32,63	31,17	29,25	26,96	24,40	21,66	18,84	16,03	13,34	10,86	8,68	
	Q	197537	160017	130176	104176	83841	67952	53053	40766	30604	22719	16003	
	P	36,81	36,27	33,98	31,34	28,97	26,27	22,98	19,61	16,98	14,33	11,78	
	Q	172088	146178	122070	101608	82035	65992	51523	39169	28874	20960	14229	
	P	44,74	44,26	42,74	40,27	37,54	34,56	31,30	27,70	24,40	20,60	17,00	
	Q	26,84	38,36	36,34	31,30	28,97	26,26	23,30	20,21	17,12	14,15	11,42	
	P	145440	122861	101569	83006	66616	52340	40722	29903	21607	15236	10972	