

Stefani SGIC 018/2 M4 A D

Specifications

Marca	Stefani
Tipo	SGIC 018/2 M4 A D
Capacidad kW	107
Refrigerante	Glycol
Número de aficionados	2
Fan del Espacio in mm	4
Descongelación	Electric
m ³ /h	27.050
Comentarios	YOB 2006
Volume	129dm ³
Peso	750kg
Stock	2



Description

Used Stefani SGIC 018/2 M4 A D

Used but in very good condition air cooler build by Stefani type SGIC 018/2 M4 A D with electric defrost (51,8kW) and 2 fans, 27.050 m³/h, 129dm³, weight 750kg, YOB 2006. "*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. Optional we can arrange shipment and export documents."





	Powers Capacità Leistung Capacity		Temperatures Temperatura Temperatur Température		Pressure Pressione Druck Pression		Flow Flusso Durchfluss Débit		Surface Superficie Fläche Surface		Pressure Pressione Druck Pression		Level Livello Niveau Niveau		Volume Volume Volumen Volume		Weight Peso Gewicht Poids		
Modello Modèle Type Modelle	30W E24 Type 1 Type 2		Powers Capacità Leistung Capacity		Temperatures Temperatura Temperatur Température		Pressure Pressione Druck Pression		Surface Superficie Fläche Surface		Pressure Pressione Druck Pression		Level Livello Niveau Niveau		Volume Volume Volumen Volume		Weight Peso Gewicht Poids		
	kW high speed	kW low speed	m³/h high speed	m³/h low speed	m³ high speed	Pa high speed	dB(A) high speed	n° high speed	W high speed	A high speed	W low speed	A low speed	kW high speed	m³/h high speed	bar high speed	inch high speed	dm³ high speed	kg high speed	
4 mm - PASSO ALETTE - FIN SPACING - RIPPENABSTAND - ÉCARTEMENT AILETTES																			
SGIC 09/1 K 4	11	9,2	4150	3150	51	150	58	54	1	750	2	550	1,5	-	1,6	0,20	1"	11	90
SGIC 09/1 M 4	14,5	11,9	4050	3050	77	150	58	54	1	750	2	550	1,5	-	2,5	0,25	1"	16	102
SGIC 012/1 M 4	22,7	20,9	6350	5350	126	150	59	56	1	1100	2,66	750	2	-	4,0	0,25	1 1/4"	26	195
SGIC 012/1 O 4	26,9	23,6	6150	5200	168	150	59	56	1	1100	2,66	750	2	-	5,3	0,25	1 1/4"	34	218
SGIC 018/1 M 4	53,4	42,7	13500	10050	320	150	57	54	1	2200	4,83	1500	3,75	26,1	10,0	0,25	2"	64	420,0
SGIC 018/1 O 4	61,1	49,4	13200	9750	427	150	57	54	1	2200	4,83	1500	3,75	26,1	13,5	0,25	2"	85	475,0
SGIC 018/2 M 4	107	87,3	20950	20050	647	150	60	57	2	2200	4,83	1500	3,75	51,8	20,4	0,30	2 1/2"	129	750
SGIC 018/2 O 4	123	99	26450	19550	862	150	60	57	2	2200	4,83	1500	3,75	51,8	27,0	0,30	2 1/2"	172	860
SGIC 025/1 K 4	59,5	55,3	27550	23550	214	150	71	66	1	5500	11,6	4000	8,9	18,1	6,8	0,30	2 1/2"	43	410
SGIC 025/1 M 4	79,2	72,2	26100	22250	320	150	71	66	1	5500	11,6	4000	8,9	26,1	10,0	0,30	2 1/2"	64	463
6 mm - PASSO ALETTE - FIN SPACING - RIPPENABSTAND - ÉCARTEMENT AILETTES																			
SGIC 09/1 K 6	8,2	6,9	4150	3200	35	150	58	54	1	750	2	550	1,5	-	1,6	0,20	1"	11	84
SGIC 09/1 M 6	11,4	9,4	4100	3100	53	150	58	54	1	750	2	550	1,5	-	2,5	0,25	1"	16	95