

Mycom FM 160S-ME

Specifications

Marca	Mycom
Tipo	FM 160S-ME
Refrigerante	Freon
Refrigerant type	R507A or other types
kW at -10°C/+40°C	246
kW at -20°C/+40°C	163,9
kW at -30°C/+40°C	103,8
kW at -40°C/+40°C	61
Electromotor Specs	110 kW at 2960 RPM by Leroy Somer
Piston Descargador	✓
Control de capacidad	✓
Sober Bancada	✓
Manómetros de Presion	✓
Recipiente de líquido	✓
Recipiente de líquido ltr.	465
Acumulador de succión	✓
Separador de aceite	✓
Sistema de nivel de aceite	✓
La línea de líquido filtro secador	✓
Valvula Solenoide	✓
Panel de control	✓



separator: +/- 1100x600

mm (LxØ) / Control

panel: compressor

regulation, relais, head

switch etc.

Cameos |

160S-1050x1950 mm

Evaporizer!! / 2x heat

Stock

Exchanger / Oil

Description

Used Mycom FM 160S-ME

Used Mycom FM 160S-ME freon compressor, complete with unloaded start, capacity control, pressure gauges, suction accumulator, oil separator, oil level system, liquid line filter drier, solenoid valve, control panel and liquid receiver with a volume of 465 liters. This unit has a cooling capacity of 246 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





