

Bitzer CSH7571-90Y-40P

Specifications

| Brand | Bitzer | | | |
|----------------------|----------------------------|--|--|--|
| Туре | CSH7571-90Y-40P | | | |
| Product type | Air Cooled Chiller (split- | | | |
| | unit) | | | |
| Capacité kW | 253,7 | | | |
| Capacity Tons | 72,1 | | | |
| Réfrigérant | Freon | | | |
| Refrigerant Type | R 407C | | | |
| Sizes | 3400x1000x2000 mm | | | |
| | (LxWxH) | | | |
| Compressor(s) type & | Bitzer CSH7571-90Y-40P | | | |
| model | | | | |
| Remarks | Capacity based on | | | |
| | +5ºC/+35ºC | | | |
| Remarks | y.o.b. 2006 | | | |
| Stock | 1 | | | |
| | | | | |



Description

Used Bitzer CSH7571-90Y-40P

Used Bitzer CSH7571-90Y-40P split unit. Complete with Alfa Laval shell and tube evaporator water shell side 56 liter and freon tube side 26,8 liter. PHE, liquid receiver 105 liter and control panel.

*All components of this used chiller will be tested on good working, leak free condition (condensing blocks), compressors, fans, control panel, etcetera). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.

www.hosbv.com



Your partner for used commercial and industrial refrigeration equipment







| - | < Bi | izer | · ··· | Typ CS S.Nr. 107 | H7571-90 0900190 | JY-401 |
|------------------------|----------------|------------------------|---------------------|---------------------|---|-------------------|
| BITZER KÜH | LMAS Made i | CHINENBA | | | Fördervol. | Drohzahl |
| Nennspannung V 3Ph~ | Frequ. Hz | Betr.strom A (max.) | Anlaufstro A (Δ) | $ A (\Delta\Delta)$ | m³/h | min ⁻¹ |
| 400 | 50 | 162 | 423 | 686 | 258 | 2900 |
| 460 | 60 | 162 | 423 | 686 | 311 | 3500 |
| 54 ND/HD m 802821 | nax. 19 | / 28 bar |] | di nali | 100 - | Ce |







Your partner for used commercial and industrial refrigeration equipment



| (Buzer) | BITZER KÜHLMASCHINENBAU GMBH Made in E.C. | | | | | | |
|-----------------|--|-----|-------------|-----|--|--|--|
| | | | Kältemittel | 1 | | | |
| Тур F1052T | PED Fluid Gruppe | | 2 | | | | |
| SNr. 1172601785 | Volumen | v [| 105 | L | | | |
| | Min/Max Temp. | TS[| -10°/120 | °C | | | |
| Baujahr 200 | 7 Max.zuläss.Druck | PS[| 33 | bar | | | |
| 37804201 CE0030 | 6 | E. | | | | | |







Your partner for used commercial and industrial refrigeration equipment



