

# Carrier 30 RA 120 B0597-PEE

## Specifications

|                            |                                               |
|----------------------------|-----------------------------------------------|
| Brand                      | Carrier                                       |
| Type                       | 30 RA 120 B0597-PEE                           |
| Product type               | Air Cooled Chiller                            |
| Capacité kW                | 115,0                                         |
| Capacity Tons              | 32,7                                          |
| Réfrigérant                | Freon                                         |
| Refrigerant Type           | R407C                                         |
| Liquid buffer tank         | ✓                                             |
| Weight                     | 1167                                          |
| Sizes                      | 2278x1070x1329 mm<br>(LxWxH)                  |
| Compressor(s) type & model | Performer SZ161T4VC<br>(x2) en SZ120S4VC (x2) |
| Display                    | Pro-dialog plus                               |
| Number of fans             | 2                                             |
| Fan specifications         | Carrier CM29G/T 50 Hz,<br>0,9 kW, 700 RPM     |
| Remarks                    | y.o.b: 2007                                   |
| Stock                      | 1                                             |




## Description

### Used Carrier 30 RA 120 B0597-PEE

Used Carrier 30RA120-B0597-PEE air cooled chiller. Complete with 2 Performer SZ161T4VC compressors and 2 SZ120S4VC compressors. One plate heat-exchanger. Condensor with 2 Carrier axial fans with a total airflow of 8840 l/s and a Pro-dialog plus control. Single pump. One 12 liter expansion vessel. And two liquid line filter driers.

\*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. \*If requested we are happy to arrange your shipment.














| Carrier        |      |           |            |        |     |
|----------------|------|-----------|------------|--------|-----|
| 3 ~ CM29G/T    |      |           |            |        |     |
| N°806444       |      |           | 2009       |        |     |
| IP 55          | cl.F | 50 °C amb | Cp : 6/400 | μF / V |     |
| IK             | kg   | S1        | c/h Cd :   | μF / V |     |
| V              | Hz   | min-1     | kW         | Cos φ  | A   |
| Δ 400          | 50   | 700       | 0,9        | 0,62   | 3,9 |
| Y 400          | 50   | 600       | 0,45       | 0,74   | 1,7 |
| Y 400          | 50   | 300       | 0,12       | 0,8    | 2   |
| DK12AB033EE    |      |           |            |        |     |
| IEC 34-1       |      |           |            |        |     |
| MADE IN FRANCE |      |           |            |        |     |







