

Sabroe SAB 202 LF

Specifications

Marque	Sabroe
Le type	SAB 202 LF
Réfrigérant	NH 3 (ammonia)
kW at +10°C/+40°C	3086,8*
kW at 0°C/+40°C	2153,9*
kW at -5°C/+40°C	1777,6*
kW at -10°C/+40°C	1453,6*
kW at -20°C/+40°C	1113,5*
kW at -30°C/+40°C	708,4*
kW at -40°C/+40°C	416,7*
Contrôle de capacité	✓
Sur le châssis en acier	✓
Séparateur d'huile	✓
Panneau de configuration	✓
m3 / h	2385
Remarques	*Need a bigger electromotor to run these temperatures
Tailles	2450x1600x2100 mm (LxWxH)
Stock	3



Description

Used Sabroe SAB 202 LF

Used Sabroe SAB 202 LF NH3 compressor unit. Complete with a Sabroe 202 LF screw compressor, Schorch KN7315L-AXO1T-Z - 50 Hz - 315 kW - 2970 RPM electromotor, OHU 4131 oil separator, OOSI 41142 oil cooler and a Unisab 2 control panel. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.







