

Bitzer 4DC-7.2Y-40S Condensing unit

Specifications

Marque	Bitzer
Le type	4DC-7.2Y-40S Condensing unit
Réfrigérant	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,3
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	18 liter
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
m3 / h	26,84 m³/h
Condensing Unit	✓
Tailles	1450x810x800 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S Condensing unit

Used Bitzer condensing unit complete with a Bizer 4DC-7.2Y-40S semi-hermetic reciprocating compressor, a Liquid receiver of 18 liter, a oil separator, liquid line filter drier and sight glasses. The air is distributed by 2 fans with a diameter of 450 mm and 1500 rpm at 50 Hz. The displacement of this condensing unit is 26,84 m³/h.

***Why choose for HOSBV?** Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

***Optional** we can also perform a new paint job and arrange the logistics.







