


# Bitzer 4T.2 Condensing unit

## Specifications

Marque	Bitzer
Le type	4T.2 Condensing unit
Réfrigérant	Freon
kW at 0°C/+40°C	33,1
kW at -5°C/+40°C	27,6
kW at -10°C/+40°C	22,8
kW at -20°C/+40°C	15,1
kW at -30°C/+40°C	9,4
kW at -40°C/+40°C	5,2
kW at -45°C/+40°C	3,7
Électromoteur Specs	50/60 Hz - 7,5/9,0 kW - 1445/1735 RPM
Sur le châssis en acier	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	19
Liquid déshydrateur	✓
ligne	
Voyant	✓
m3 / h	47,4
Condensing Unit	✓
Tailles	2150x750x1250 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4T.2 Condensing unit

Used Bitzer 4T.2 condensing unit on Freon. Complete with 1 Bitzer 4T.2 open-type reciprocating compressors, condenser with 2 fans and a diameter of 400 mm, AEG AM 132 AMR elektromotor: 50 Hz - 7,5 kW - 1445 RPM, liquid receiver with a volume of 19 liters, liquid line filter and a control box.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

