

Bitzer LHV6/2DC-3.F1Y-40S / 2DC-3.F1Y-40S Condensing unit

Specifications

Marque	Bitzer
Le type	LHV6/2DC-3.F1Y-40S / 2DC-3.F1Y-40S Condensing unit
Réfrigérant	Freon
kW at 0°C/+40°C	13,8
kW at -5°C/+40°C	11,7
kW at -10°C/+40°C	9,7
kW at -20°C/+40°C	6,4
kW at -30°C/+40°C	3,8
kW at -40°C/+40°C	1,9
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	13
Liquid déshydrateur	✓
ligne	
Voyant	✓
Panneau de configuration	✓
m3 / h	13,4
Remarques	Y.o.b. 2012
Weight	270
Condensing Unit	✓



Tailles	1400x610x1460 mm (LxWxH)
---------	-----------------------------

Stock	1
-------	---

Description

Used Bitzer LHV6/2DC-3.F1Y-40S / 2DC-3.F1Y-40S Condensing unit

Used Bitzer LHV6/2DC-3.F1Y-40S / 2DC-3.F1Y-40S condensing unit on Freon. Complete with 1 Bitzer 2DC-3.F1Y-40S semi-hermetic reciprocating compressor, condenser with 2 Ziehl-Abegg fans - 50 Hz - 0,41 kW - 1320 RPM - diameter 450 mm with a airflow of 8.400 m³/h, Bitzer FS 128 liquid receiver with a volume of 13 liter, pressure and safety switch and a Bitzer LUP200i controller.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







