

Sabroe SAB 163 HM

Specifications

Marque	Sabroe
Le type	SAB 163 HM
Réfrigérant	NH 3 (ammonia)
kW at -5°C/+40°C	474,4
kW at -10°C/+40°C	386,8
kW at -20°C/+40°C	298,7
kW at -30°C/+40°C	184,5
kW at -40°C/+40°C	106,1
Électromoteur Specs	50 Hz - 132 kW - 2970 RPM
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Séparateur d'huile	✓
Voyant	✓
Panneau de configuration	✓
m3 / h	635,0
Remarques	Y.o.b. 2005
Tailles	2630x1520x2010 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 163 HM

Used Sabroe SAB 163 HM unit with a SAB 163 HM open drive screw compressor for R717 (ammonia). The compressor is driven by a Schorch KN7280M electro motor 50 Hz - 132 kW - 2970 RPM. Complete with a Sabroe OHU 4123D oil separator with a volume of 410 liter, a OOSI 21142A oil cooler, a WEG AL80-4 oil pump and a UNISAB 2 control panel.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







