

DWM D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1)

Specifications

Marque	DWM
Le type	D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	192,9
kW at -5°C/+40°C	159,8
kW at -10°C/+40°C	130,9
kW at -20°C/+40°C	84,3
kW at -30°C/+40°C	50,0
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	220
Séparateur d'huile	✓
Système de niveau d'huile	✓
Voyant	✓
m3 / h	224,0
Remarques	Year of construction 2001
Package / Rack	✓



	(LxWxH)
Stokas	3250x1100x1880 mm

Description

Used DWM D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1)

Used DWM Copeland D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1) semi-hermetic reciprocating compressor unit on Freon. Complete with a external 220 liquid receiver, oil separator, oil reservoir, electrical cabinet, pressure and safety switches/gauges. The compressors have a total displacement of 224 m³/h.
*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics





