

Climaveneta NECS/B/S 0604

Specifications

| | |
|----------------------------|------------------------------|
| Brand | Climaveneta |
| Type | NECS/B/S 0604 |
| Product type | Air Cooled Chiller |
| Capacité kW | 154,0 |
| Capacity Tons | 43,8 |
| Réfrigérant | Freon |
| Refrigerant Type | R410A |
| Liquid buffer tank | ✓ |
| Pump | ✓ |
| Weight | 2410 |
| Sizes | 3200x2220x1850 mm (LxWxH) |
| Compressor(s) type & model | 4x Performer SH184A4ALC |
| Display | W3000SE Compact |
| Number of fans | 4 |
| Remarks | Y.o.b. 2012 |
| Stock | 1 |





Description

Used Climaveneta NECS/B/S 0604

Used Climaveneta NECS/B/S 0604 air cooled chiller on R410A. Complete with 4 Performer SH184A4ALC scroll compressors, plate heat exchanger, condenser with 4 fans that have a total airflow of 61.560 m³/h, liquid buffer tank, Lowara FHE 50-160/55/P water pump with a Lowara PLM112B14S2/355 electric motor and a W3000SE Compact display.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. if requested we can arrange your shipment.



| | | | |
|---|---------------------------|------------|--|
| Type Modello Model | NECS/B/S 0604 | | Modèle Modelo Typ |
| Item Articolo Einzelteil | BA827000 | | Article Artículo Produktkodning |
| Serial number Matricola unità Seriennummer | 32022182 | | Matricule unité Matricula unidad Seriennummer |
| Manufact. year Anno di costruz. Baujahr | 2012 | | Année construction Año de construcción Tiliverkningsår |
| Operating weight Peso in funzionam. Betriebsgewicht | 2410 kg | | Poids en fonction. Peso en funcionam Driftsvikt |
| Refrigerant Gas refrigerante Kältemittel | R410A Group 2 97/23/CE | | Gaz réfrigérant Gas refrigerante Köldmedium |
| Refr. charge Carica refrigerante Füllgewicht | 2x10,5 kg | | Q.té gaz réfrig. Carga refrigerante Köldmediefyllning |
| Oil type Tipo olio Öljetyyp | MANEUROP 160SZ | | Huile type Tipo aceite Oljetyyp |
| ELECTRICAL SUPPLY | | | |
| Voltage | 400V/3/50HZ+PE | | |
| F.L.I | 82,5 | kW | |
| F.L.A | 142 | A | |
| MAXIMUM ALLOWABLE PRESSURE (PS) | | | |
| Gas circuit | HP=4,5 MPa | LP=2,8 MPa | |
| Water circuit | 0,3 MPa | | |
| Maximum transport and storage temperature: 46 °C | | | |
| Contains fluorinated greenhouse gases covered by the Kyoto Protocol. | | | |
| Manual n°: 120200356 - NECS/B/S 0604 | | | |
| Wiring Diagrams: EA827836 rev. 2 | | | |
|  0948 | | | |
|  | | | |
| 36061 BASSANO DEL GRAPPA (VI) ITALIA - via GARSON, 67/C Tel. +390424 509500 - Fax +390424 509509 e-mail: info@climaveneta.it | | | |



