

Bock HGX6/1410-4 S (x2) & HGX5/945-4 S (x1)

Specifications

Marque	Bock
Le type	HGX6/1410-4 S (x2) & HGX5/945-4 S (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	257,9
kW at -5°C/+40°C	214,6
kW at -10°C/+40°C	176,5
kW at -20°C/+40°C	114,9
kW at -30°C/+40°C	69,5
Démarrage à vide	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité	✓
de pression	
Manomètres	✓
Commutateurs de	✓
pression de	
condensation	
Aspiration	✓
d'accumulateur	
Séparateur d'huile	✓
Système de niveau	✓
d'huile	
Voyant	✓
Electrovanne	✓
m3 / h	327,0



Package / Rack	✓
Tailles	2200x1420x1520 mm (LxWxH)
Stock	1

Description

Used Bock HGX6/1410-4 S (x2) & HGX5/945-4 S (x1)

Used Bock HGX6/1410-4 S (x2) & HGX5/945-4 S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a AC&R S-1904 oil separator, AC&R S-9108 oil reservoir, suction accumulator, pressure and safety switches/gauges and AC&R S-9110A oil regulators. The compressors have a total displacement of 327,0 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics





