

# Danfoss MTZ80HP4AVE Condensing unit

## Specifications

|                                          |                              |
|------------------------------------------|------------------------------|
| Marque                                   | Danfoss                      |
| Le type                                  | MTZ80HP4AVE                  |
|                                          | Condensing unit              |
| Réfrigérant                              | Freon                        |
| kW at +10°C/+40°C                        | 30,4                         |
| kW at 0°C/+40°C                          | 20,7                         |
| kW at -5°C/+40°C                         | 16,8                         |
| kW at -10°C/+40°C                        | 13,4                         |
| kW at -20°C/+40°C                        | 7,9                          |
| kW at -30°C/+40°C                        | 4,0                          |
| Contrôle de capacité                     | ✓                            |
| Sur le châssis en acier                  | ✓                            |
| Interrupteurs de sécurité de pression    | ✓                            |
| Commutateurs de pression de condensation | ✓                            |
| Réservoir de liquide                     | ✓                            |
| Réservoir de liquide ltr.                | 14                           |
| Liquid déshydrateur ligne                | ✓                            |
| Voyant                                   | ✓                            |
| Remarques                                | Y.o.b. 2005                  |
| Weight                                   | 211                          |
| Condensing Unit                          | ✓                            |
| Tailles                                  | 1550x1150x1090 mm<br>(LxWxH) |



Stock

1

---

## Description

### **Used Danfoss MTZ80HP4AVE Condensing unit**

Used Frigotronic HTA-CU-40 condensing unit. Complete with a Danfoss MTZ80HP4AVE hermetic reciprocating compressor, condenser with 2 fans - 50 Hz - 1500 RPM, OCS RFC220425 liquid receiver 14 liter, liquid line filter dryer and a Johnson Controls pressure switch.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics





