

Bitzer 4H-15.2Y (x2) / 44H-30.2Y

Specifications

Marque	Bitzer
Le type	4H-15.2Y (x2) / 44H-30.2Y
Réfrigérant	Freon
kW at -5°C/+40°C	99,6
kW at -10°C/+40°C	82,2
kW at -20°C/+40°C	54,2
kW at -30°C/+40°C	33,4
kW at -40°C/+40°C	18,5
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	98
Voyant	✓
m ³ / h	147,2
Package / Rack	✓
Tailles	1540x1000x1420 mm (LxWXH)
Stock	1



Description

Used Bitzer 4H-15.2Y (x2) / 44H-30.2Y

Used Bitzer 4H-15.2Y (x2) / 44H-30.2Y semi-hermetic reciprocating compressors on Freon. Complete unit with a Frigomec FK 98 liquid receiver with a volume of 98 liter, liquid line filter dryer, vibration absorber, Danfoss oil differential pressure control, gauges and safety pressure switches. The compressors have a total displacement of 147,2 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





