

DWM DLSGP-40X-EWL (x2) & D4DA5-200X-AWM/D (x2) & D3DS5-150X-AWM/D (x1)

Specifications

Marque	DWM
Le type	DLSGP-40X-EWL (x2) & D4DA5-200X-AWM/D (x2) & D3DS5-150X-AWM/D (x1)
Réfrigérant	Freon
kW at -30°C/+40°C	78,1*
kW at -40°C/+40°C	46,9*
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Remarques	Y.o.b. 2012
Remarques	*Capacity based on all the compressors together.



Package / Rack	✓
Tailles	2820x1260x2250 mm (LxWxH)
Stock	1

Description

Used DWM DLSGP-40X-EWL (x2) & D4DA5-200X-AWM/D (x2) & D3DS5-150X-AWM/D (x1)

Used DWM Copeland rack for low and medium temperature application. Complete with 5 DWM Copeland compressoren: DLSGP-40X-EWL (x2), D4DA5-200X-AWM/D (x2), D3DS5-150X-AWM/D (x1). Furthermore the unit contains a suction accumulator, liquid line filter dryer, oil separator, AC&R oil level regulator for every compressor, AC&R S-9109-CE oil reservoir, Danfoss ADAP KOOL frequency converter and a Danfoss ADAP-KOOL Gateway AKA 245. Capacity based on all the compressors together.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.















