

Bitzer 6F-2Y (x4)

Specifications

Marque	Bitzer
Le type	6F-2Y (x4)
Réfrigérant	Freon
kW at 0°C/+40°C	509,4
kW at -5°C/+40°C	423,0
kW at -10°C/+40°C	347,9
kW at -20°C/+40°C	226,7
kW at -30°C/+40°C	137,6
kW at -40°C/+40°C	74,0
kW at -45°C/+40°C	49,9
Électromoteur Specs	50 Hz - 37 kW - 1470 RPM
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité	✓
de pression	
Manomètres	✓
Commutateurs de	✓
pression de	
condensation	
Aspiration	✓
d'accumulateur	
Séparateur d'huile	✓
Système de niveau	✓
d'huile	
Panneau de	✓



configuration

m3 / h	732,0
Remarques	Y.o.b. 2013 & SN: 1686201832: 2014
Package / Rack	✓
Tailles	3800x2100x2200 mm (LxWxH)
Stock	1

Description

Used Bitzer 6F-2Y (x4)

Used Bitzer 6F-2Y (x4) open-type reciprocating compressor rack on Freon. Complete with 4 Rotor XKC225S04 515 electric motors - 50 Hz - 37 kW - 1470 RPM, Frigo Mec FAS 119.50(0D133/0D133) suction accumulator, Frigo Mec SO-273-ODS 80/0D 88.9 oil separator, oil receiver, pressure and safety switches/gauges and a control panel. The compressors together have a total displacement of 732 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







