

# Bitzer 4TCS-8.2Y-40S (x2) & 2CC-3.2Y-40S (x1)

## Specifications

|                           |                                        |
|---------------------------|----------------------------------------|
| Marque                    | Bitzer                                 |
| Le type                   | 4TCS-8.2Y-40S (x2) & 2CC-3.2Y-40S (x1) |
| Réfrigérant               | Freon                                  |
| kW at -5°C/+40°C          | 66,0                                   |
| kW at -10°C/+40°C         | 54,2                                   |
| kW at -20°C/+40°C         | 35,2                                   |
| kW at -30°C/+40°C         | 21,1                                   |
| kW at -40°C/+40°C         | 11,0                                   |
| kW at -45°C/+40°C         | 7,1                                    |
| Sur le châssis en acier   | ✓                                      |
| Séparateur d'huile        | ✓                                      |
| Système de niveau d'huile | ✓                                      |
| Voyant                    | ✓                                      |
| Electrovanne              | ✓                                      |
| m3 / h                    | 98,8                                   |
| Remarques                 | Y.o.b. 2006                            |
| Package / Rack            | ✓                                      |
| Tailles                   | 1900x750x1100 mm (LxWxH)               |
| Stock                     | 1                                      |



## Description

### Used Bitzer 4TCS-8.2Y-40S (x2) & 2CC-3.2Y-40S (x1)

Used Bitzer 4TCS-8.2Y-40P (x2) & 2CC-3.2Y-40S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with Alco OSH-411 oil separator with a volume of 3,6 liter and a electronic oil level regulator. The compressors together have a displacement of 98,8 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your shipment.







