

Bitzer 4T.2Y (x1) & 4H.2 (x1)

Specifications

Marque	Bitzer
Le type	4T.2Y (x1) & 4H.2 (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	93,1
kW at -5°C/+40°C	77,5
kW at -10°C/+40°C	64,0
kW at -20°C/+40°C	42,2
kW at -30°C/+40°C	26,1
kW at -40°C/+40°C	14,5
kW at -45°C/+40°C	10,0
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Interrupteurs de sécurité	✓
de pression	
Réservoir de liquide	✓
Réservoir de liquide ltr.	90
Aspiration	✓
d'accumulateur	
Séparateur d'huile	✓
Système de niveau	✓
d'huile	
Voyant	✓
Electrovanne	✓
Panneau de	✓
configuration	
m3 / h	136,2



Remarques	SN: 1682706706 - Y.o.b. 2012
Package / Rack	✓
Tailles	2900x1350x1900 mm (LxWxH)
Stock	1

Description

Used Bitzer 4T.2Y (x1) & 4H.2 (x1)

Used Bitzer 4T.2Y (x1) & 4H.2 (x1) open-type reciprocating compressors rack on Freon. Complete with a Cantoni 160L-4 electric motor - 50/60 Hz - 15/17,3 kW - 1470/1760 RPM, Euro-Cold VT-90 liquid receiver, oil separator, oil reservoir, Frigo-Mec 11/S-SP-ODS 67 suction accumulator and a Emerson M200-064 frequency converter. The compressors have a total displacement of 136,2 m³/h. We can deliver this rack with a suitable electric motor.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.







