

DWM DKLP-15X-EWL Tank aggregate

Specifications

Marque	DWM
Le type	DKLP-15X-EWL Tank aggregate
Réfrigérant	Freon
kW at -20°C/+40°C	2,4
kW at -30°C/+40°C	1,4
kW at -40°C/+40°C	0,7
kW at -45°C/+40°C	0,4
Sur le châssis en acier	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide	✓
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Liquid déshydrateur ligne	✓
Panneau de configuration	✓
m3 / h	7,4
Remarques	Y.o.b. 2001
Tailles	760x480x700 mm (LxWxH)
Stock	1



Description

Used DWM DKLP-15X-EWL Tank aggregate

Used DWM DKLP-15X-EWL semi-hermetic reciprocating compressor on Freon with a sight glass. Complete with a liquid receiver, suction accumulator, oil separator, liquid line filter drier and a control cabinet. The compressor has a displacement of 7,4 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



