

Bock HGX7/1620-4 S (x3)

Specifications

Marque	Bock
Le type	HGX7/1620-4 S (x3)
Réfrigérant	Freon
kW at 0°C/+40°C	324,0
kW at -5°C/+40°C	269,1
kW at -10°C/+40°C	130,5
kW at -20°C/+40°C	141,3
kW at -30°C/+40°C	82,8
kW at -40°C/+40°C	42,0
kW at -45°C/+40°C	26,9
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	320
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Voyant	✓
Electrovanne	✓
Panneau de	✓



configuration

m3 / h	50 Hz - 421,8 m ³ /h / 60 Hz - 506,1 m ³ /h
Package / Rack	✓
Tailles	3550x1060x2030 mm (LxWxH)
Stock	1

Description

Used Bock HGX7/1620-4 S (x3)

Used Bock HGX7/1620-4 S (x3) semi-hermetic compressor rack on Freon. Complete with a Bitzer FS3102 liquid receiver with a volume of 320 liters, Frigo-Mec SO-273-ODS 67/OD oil separator, AC&R S-91080-CE oil reservoir, pressure and safety switches/gauges, and a control cabinet. The compressors have a total displacement of 421,8 m³/h at 50 Hz and 506,1 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.











