

Bitzer 6G-40.2Y-40P

Specifications

Marque	Bitzer
Le type	6G-40.2Y-40P
Réfrigérant	Freon
kW at 0°C/+40°C	102,6
kW at -5°C/+40°C	85,4
kW at -10°C/+40°C	70,3
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,0
kW at -40°C/+40°C	14,9
Sur le châssis en acier	✓
Interrupteurs de sécurité	✓
de pression	
Manomètres	✓
Commutateurs de	✓
pression de	
condensation	
Réservoir de liquide	✓
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
m3 / h	50 Hz - 126,8 m³/h / 60 Hz - 153,1 m³/h
Remarques	SN: 1674200706 - Y.o.b: 2008 SN: 1668808896 - Y.o.b. 2005



Weight	+ - 550 kg
Tailles	2000x900x2150 mm (LxWxH)
Stock	2

Description

Used Bitzer 6G-40.2Y-40P

Used Bitzer 6G-40.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a liquid receiver, AC&R S-5194-CE oil separator, liquid line filter drier, and pressure and safety switches/gauges. The compressor has a displacement of 126,8 m³/h at 50 Hz and 153,1 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





