

DWM D4DH3-2500-AWM/D (x2) & 4GE-30Y-40P (x1)

Specifications

Marque	DWM
Le type	D4DH3-2500-AWM/D (x2) & 4GE-30Y-40P (x1)
Réfrigérant	Freon
kW at +10°C/+40°C	264,1
kW at 0°C/+40°C	185,4
kW at -5°C/+40°C	153,4
kW at -10°C/+40°C	125,7
kW at -20°C/+40°C	81,1
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	115
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
m3 / h	226,3
Remarques	Y.o.b. Bitzer: 2015



Remarques	Capacities based on R22
Package / Rack	✓
Tailles	2500x1500x1320 mm (LxWxH)
Stock	1

Description

Used DWM D4DH3-2500-AWM/D (x2) & 4GE-30Y-40P (x1)

Used DWM D4DH3-2500-AWM/D (x2) & Bitzer 4GE-30Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Friga-Bohn RSH 115 liquid receiver, Friga-Bohn SHO180 2,5/8 oil separator, Friga-Bohn RH 14 oil reservoir, liquid line filter drier and pressure and safety switches/gauges. The compressor has a displacement of 226,3 m³/h. Capacities based on R22.
*Why choose for HOS BV? We are not only the largest used refrigeration specialist in Europe, but we also deliver all equipment including an extensive test, warranty and industrial cleaning.
*Optionally we can also perform a new paint job and arrange the logistics.





