

Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)

Specifications

Marque	Bitzer
Le type	4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)
Réfrigérant	Freon
kW at 0°C/+40°C	47,7
kW at -5°C/+40°C	38,5
kW at -10°C/+40°C	30,6
kW at -20°C/+40°C	18,3
Sur le châssis en acier	✓
Commutateurs de pression de condensation	✓
Voyant	✓
Panneau de configuration	✓
m3 / h	50 Hz - 97,5 m³/h / 60 Hz - 117,6 m³/h
Remarques	Y.o.b. 2010
Package / Rack	✓
Tailles	1930x900x1350 mm (LxWxH)
Stock	1



Description

Used Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1)

Used Bitzer 4CC-6.2Y-40S (x2) & 4CC-6.F1Y-40S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with condensing pressure switches and a control panel with a Danfoss controller. The compressors have a total displacement of 97,5 m³/h at 50 Hz & 117,6 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





