

## DWM D3DA5-50X-AWM/D

### Specifications

|                           |                           |
|---------------------------|---------------------------|
| Marque                    | DWM                       |
| Le type                   | D3DA5-50X-AWM/D           |
| Réfrigérant               | Freon                     |
| kW at -5°C/+40°C          | 20,7                      |
| kW at -10°C/+40°C         | 16,8                      |
| kW at -20°C/+40°C         | 10,7                      |
| kW at -30°C/+40°C         | 6,4                       |
| kW at -40°C/+40°C         | 3,3                       |
| kW at -45°C/+40°C         | 2,0                       |
| Système de niveau d'huile | ✓                         |
| m3 / h                    | 32,2 m <sup>3</sup> /h    |
| Remarques                 | Y.o.b. 2005               |
| Tailles                   | 630x440x450 mm<br>(LxWxH) |
| Stock                     | 2                         |



### Description

#### Used DWM D3DA5-50X-AWM/D

Used DWM D3DA5-50X-AWM/D semi-hermetic reciprocating compressor on Freon with a oil level regulator. The compressor has a displacement of 32,2 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.



