

Bitzer 6F.2

Specifications

Marque	Bitzer
Le type	6F.2
Réfrigérant	Freon
kW at 0°C/+40°C	127,4
kW at -5°C/+40°C	105,7
kW at -10°C/+40°C	87,0
kW at -20°C/+40°C	56,7
kW at -30°C/+40°C	34,4
Démarrage à vide	✓
Interrupteurs de sécurité de pression	✓
Système de niveau d'huile	✓
Voyant	✓
Electrovanne	✓
m ³ / h	94,1 m ³ /h at 900 RPM & 183 m ³ /h at 1750 RPM
Tailles	1480x770x700 mm (LxWxH)
Stock	1



Description

Used Bitzer 6F.2

Used Bitzer 6F.2 open-type reciprocating compressor on Freon. Complete with a electric motor - 50 Hz - 30 kW - 1477 RPM, AC&R oil level system, pressure and safety switches. The compressor has a displacement of 94,1 m³/h at 900 RPM & 183 m³/h at 1750 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.





