

DWM D2DL3-40X-AWM/D

Specifications

Marque	DWM
Le type	D2DL3-40X-AWM/D
Réfrigérant	Freon
kW at -10°C/+40°C	12,8
kW at -20°C/+40°C	8,4
kW at -30°C/+40°C	5,1
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,8
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Commutateurs de pression de condensation	✓
Réservoir de liquide	✓
Aspiration d'accumulateur	✓
Séparateur d'huile	✓
Voyant	✓
Electrovanne	✓
Panneau de configuration	✓
m ³ / h	23,7
Remarques	Y.o.b. 2009
Tailles	1270x700x1250 mm (LxWxH)
Stock	1



Description

Used DWM D2DL3-40X-AWM/D

Used DWM D2DL3-40X-AWM/D semi-hermetic reciprocating compressor on Freon. Complete with a liquid receiver, oil separator, suction accumulator, pressure and safety switch and a control cabinet. The compressor has a displacement of 23,7 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.





