


Sabroe SAB 128 HF MK3 man VI

Specifications

Marque	Sabroe
Le type	SAB 128 HF MK3 man VI
Réfrigérant	Freon
kW at +10°C/+40°C	538,5
kW at 0°C/+40°C	383,5
kW at -5°C/+40°C	320,2
kW at -10°C/+40°C	265,1
kW at -20°C/+40°C	227,0
kW at -30°C/+40°C	152,2
Électromoteur Specs	50 Hz - 110 kW - 2960 RPM
Démarrage à vide	✓
Contrôle de capacité	✓
Sur le châssis en acier	✓
Manomètres	✓
Séparateur d'huile	✓
Voyant	✓
Panneau de configuration	✓
m3 / h	454 m³/h
Remarques	Y.o.b. 2000
Tailles	2400x1700x1950 mm (LxWxH)
Stock	2



Description

Used Sabroe SAB 128 HF MK3 man VI

Used Sabroe SAB 128 HF screw compressor on Freon. Complete with a Leroy Somer PLS250MP-T electric motor - 50 Hz - 110 kW - 2960 RPM, Sabroe OHU 4119 oil separator with a volume of 270 liter, Sabroe OWSG 1619E4 oil cooler, oil pump, pressure and safety gauges and a control cabinet. The compressor has a displacement of 454 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

