

Bitzer LH104/F152H Condensing unit

Specifications

Marque	Bitzer
Le type	LH104/F152H Condensing unit
Réfrigérant	Freon
kW at -5°C/+40°C	21,1
kW at -10°C/+40°C	17,4
kW at -20°C/+40°C	11,4
kW at -30°C/+40°C	7,0
kW at -40°C/+40°C	3,8
kW at -45°C/+40°C	2,5
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Réservoir de liquide	✓
Réservoir de liquide ltr.	15 l
Séparateur d'huile	✓
Liquid déshydrateur	✓
ligne	
Voyant	✓
Panneau de configuration	✓
m3 / h	50 Hz - 32,5 m³/h / 60 Hz - 39,2 m³/h
Remarques	Y.o.b. 2005
Condensing Unit	✓
Tailles	1150x940x1050 mm (LxWxH)



Stock

1

Description

Used Bitzer LH104/F152H Condensing unit

Used Bitzer LH104/F152H condensing unit on Freon. Complete with 1 Bitzer 4CC-6.2 Y semi-hermetic reciprocating compressor, Bitzer liquid receiver with a volume 15 liters, pressure safety switches, oil separator, control panel and condenser with 2 Hidria R13R-4530A-4M-7039 fans - 50/60 Hz - 0,38/0,57 kW - 1390/1570 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





