

# Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

## Specifications

Marque	Bitzer
Le type	6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)
Réfrigérant	Freon
Refrigerant type	R134A
kW at 0°C/+40°C	627,2
kW at -5°C/+40°C	506,4
kW at -10°C/+40°C	404,8
kW at -20°C/+40°C	246,4
Sur le châssis en acier	✓
Interrupteurs de sécurité de pression	✓
Manomètres	✓
Commutateurs de pression de condensation	✓
Séparateur d'huile	✓
Système de niveau d'huile	✓
Liquid déshydrateur ligne	✓
Panneau de configuration	✓
m3 / h	1216
Remarques	Y.o.b. 2013



Remarques	*Capacity based on Freon type: R134A
Package / Rack	✓
Tailles	Compressor set 1: 3950x1850x1950 mm (LxWxH) Compressor set 2: 3950x1850x2050 mm (LxWxH)
Stock	1

## Description

### Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1) semi-hermetic reciprocating compressors on Freon. Complete with an oil separator, oil reservoir, brazed heat exchanger, electric oil level system AC&R, pressure and safety switches/gauges, liquid line filter drier, 8x Danfoss frequency converters and a control cabinet with multiple controllers and displays. The compressors have a total displacement of 1216 m<sup>3</sup>/h.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.











